Author Index to Volume 51

Aascher JA. See Weihs KL
Acharyya S. See Merikangas KR
Acton PD. See Franklin TR
Adil J. See Bremner JD
Adler DN. See Friedman JI
Alakare B. See Joyal CC
Alam D. See Janicak PG
Alexopoulos GS. See Cubells JF
Allen PB. See Zachariou V
Altshuler LL. See Kupka RW
Altshuler LL. See Leverich GS
Alvir J. See Gunduz H
Amador X. See Malaspina D
Amaral DG. The primate amygdala and the neurobiology of social behavior: implications for understanding social anxiety, 11
Amir S. See Ritsner M
Anand A. See Berman RM
Anand A. See Oren DA
Anderson GM. See Cubells JF
Anderson GM. See Mulder EJ
Andrade C. See Rao SK
Andrews PJ. See Perlis ML
Angst G. See Merikangas KR
Antia SX. See Blanco C
Armitage R. See Morehouse RL
Ashtari M. See Gunduz H
Autio KA. See Leverich GS
Avenevoli S. See Merikangas KR
Axelson DA. See De Bellis MD

Baab S. See Wisner KL
Balon R. See Yeragani VK
Barton JS. See Manoach DS
Bartzokis G, Beckson M, Lu PH, Edwards N, Bridge P, Mintz J. Brain maturation may be arrested in chronic cocaine addicts, 605
Bassett AS. See Chow EWC
Batey SR. See Weihs KL
Beasley C. See Cotter D
Bechter K. See Billich C
Becker S. See Gouzoulis-Mayfrank E
Beckson M. See Bartzokis G
Beedle D. See Janicak PG
Beers SR. See De Bellis MD
Bejerot S. See Humble M
Bellodi L. See Cavedini P
Benes FM. About assumptions in estimation of density of neurons and glial cells, 840–corr (reply)
Benes FM. Two-dimensional *versus* three-dimensional cell counting, 838–corr (reply)
Benoit-Marand M. See Zachariou V
Benson BE. See Kimbrell TA
Bergqist PBF. See Humble M
Berman RM, Sanacora G, Anand A, Roach LM, Fasula MK, Finkelstein CO, Wachen RM, Oren DA, Heninger GR, Charney DS. Monoamine depletion in unmedicated depressed subjects, 469
Biederman J. See Hirschfeld-Becker DR
Bignotti S. See Chiavetto LB
Bilder R. See Gunduz H
Billich C, Sauder C, Frank R, Herzog S, Bechter K, Takahashi K, Peters H, Staeheli P, Schwemmle M. High-avidity human serum antibodies recognizing linear epitopes of Borna disease virus proteins, 979
Birmaher B. See De Bellis MD
Bjork JM. See Swann AC
Blanco C, Antia SX, Liebowitz MR. Pharmacotherapy of social anxiety disorder, 109
Blasey C. See Feinstein C
Bogerts B. See Gunduz H
Bohning DE. See Lorberbaum JP
Boin F. See Chiavetto LB
Bolden-Watson C. See Weihs KL
Boni C. See Bonnier B
Bonnier B, Gorwood P, Hamon M, Sarfati Y, Boni C, Hardy-Bayle M-C. Association of 5-HT_{2A} receptor gene polymorphism with major affective disorders: the case of a subgroup of bipolar disorder with low suicide risk, 762
Borian FE. See Hirschfeld RMA
Born C. See Frodl T
Botteron KN, Raichle ME, Drevets WC, Heath AC, Todd RD. Volumetric reduction in left subgenual prefrontal cortex in early onset depression, 342
Bottlender R. See Frodl T
Boutros N. See Oren DA
Boutros NN, Gelernter J, Gooding DC, Cubells J, Young A, Krystal JH, Kosten T. Sensory gating and psychosis vulnerability in cocaine-dependent individuals: preliminary data, 683
Bowler R. See Sassine M-P
Braff DL. See McDowell
Braff DL. See Paulus MP
Bremner JD, Vythilingam M, Vermetten E, Nazeer A, Adil J, Khan S, Staib LH, Charney DS. Reduced volume of orbitofrontal cortex in major depression, 273
Brenner G. See Friedman JI
Bridge P. See Bartzokis G
Brooks WM. See Jung RE
Brown GG. See McDowell JE
Brown GG. See Paulus MP
Buechel C. See Lawrie SM
Buitelaar JK. See Overtoom CCE
Bulik CM. See Rowe R
Buysse DJ. See Jindal RD

Cahill L. See Pitman RK
Carlezon WA Jr, Pliakas AM, Parow AM, Detke ML, Cohen BM, Renshaw PF. Antidepressant-like effects of cytidine in the forced swim test in rats, 882
Carpenter LL. See Cubells JF
Carpenter LL, Yasmin S, Price LH. A double-blind placebo-controlled study of antidepressant augmentation with mirtazapine, 183
Carpenter WT Jr, Gold JM. Another view of therapy for cognition in schizophrenia, 969–ed
Carrion VG, Weems CF, Ray RD, Glaser B, Hessl D, Reiss AL. Diurnal salivary cortisol in pediatric posttraumatic stress disorder, 575
Carter CS. See Siegle GJ
Castellanos JM. See Galard R
Catalan R. See Galard R

Abbreviations:
ed: editorial
corr: correspondence

© 2002 Society of Biological Psychiatry

0006-3223/02/$22.00
PII S0006-3223(02)01447-6

Cavedini P, Riboldi G, Keller R, D'Annucci A, Bellodi L. Frontal lobe dysfunction in pathological gambling patients, 334
Champion KM. See Furst BA
Chana G. See Cotter D
Chandra S. See Rao SK
Chang C-J. See Sun H-FS
Chang Y-T. See Sun H-FS
Chaput F. See Coplan JD
Charney DS. See Berman RM
Charney DS. See Bremner JD
Charney DS. See Oren DA
Charney DS. See Stine SM
Checkley SA. See Pariante CM
Cheema F. See Pitman RK
Chen CPL-H. See Matthews KL
Chen Y-H. See Sun H-FS
Cheng AT-A. See Sun H-FS
Cherkasova MV. See Manoach DS
Chiavetto LB, Boin F, Zanardini R, Popoli M, Michelato A, Bignotti S, Tura GB, Gennarelli M. Association between promoter polymorphic haplotypes of interleukin-10 gene and schizophrenia, 480
Childress AR. See Franklin TR
Choi SJ. See Lim KO
Chow EWC, Zipursky RB, Mikulis DJ, Bassett AS. Structural brain abnormalities in patients with schizophrenia and 22q11 deletion syndrome, 208
Clark DM, McManus F. Information processing in social phobia, 92
Cohen BM. See Carlezon WA Jr
Cohen BM. See Loeber RT
Cohen JA. See Pine DS
Coleman E. See Malaspina D
Coplan JD, Moreau D, Chaput F, Martinez JM, Hoven CW, Mandrell DJ, Gorman JM, Pine DS. Salivary cortisol concentrations before and after carbon-dioxide inhalations in children, 326
Corcoran C. See Malaspina D
Cotter D, Landau S, Beasley C, Stevenson R, Chana G, MacMillan L, Everall I. The density and spatial distribution of GAMAergic neurons, labelled using calcium binding proteins, in the anterior cingulate cortex in major depressive disorder, bipolar disorder, and schizophrenia, 377
Crandall D. See Gunduz H
Crits-Christoph P. See Hirschfeld RMA
Croft JR. See Franklin TR
Croker V. See Sachdev PS
Csernansky JG. See Schindler MK
Cubells J. See Boutros NN
Cubells JF, Price LH, Meyers BS, Anderson GM, Zabetian CP, Alexopoulos GS, Nelson JC, Sanacora G, Kirwin P, Carpenter LL, Malison RT, Gelernter J. Genotype-controlled analysis of plasma dopamine β-hydroxylase activity in psychotic unipolar major depression, 358
Culver KE. See Tizabi Y
Cuthbert BN. Social anxiety disorder: trends and translational research, 4

D'Addio K. See Prater JF
D'Annucci A. See Cavedini P
Dackis CA. See Franklin TR
Dahl RE. See De Bellis MD
Dang J. See Irwin M
Dannon PN, Dolberg OT, Schreiber S, Grunhaus L. Three and six-month outcome following courses of either ECT or rTMS in a population of severely depressed individuals—preliminary report, 687
Daumann J. See Gouzoulis-Mayfrank E
Davidson RJ. Anxiety and affective style: role of prefrontal cortex and amygdala, 68
Davis KL. See Friedman JI
Davis M. See Winslow JT
Davis RE. See Powell J
Dawkins L. See Powell J
De Bellis MD, Keshavan MS, Frustaci K, Shifflett H, Iyengar S, Beers SR, Hall J. Superior temporal gyrus volumes in maltreated children and adolescents with PTSD, 544
De Bellis MD, Keshavan MS, Shifflett H, Iyengar S, Dahl RE, Axelson DA, Birmaher B, Hall J, Moritz G, Ryan ND. Superior temporal gyrus volumes in pediatric generalized anxiety disorder, 553
Deng Z. See Hamilton SP
Denicoff KD. See Kupka RW
Denicoff KD. See Leverich GS
Desan PH. See Oren DA
Detke ML. See Carlezon WA Jr
Dirks A. See Groenink L
Dirks A, Groenink L, Schipholt MI, van der Gugten J, Hijzen TH, Geyer MA, Olivier B. Reduced startle reactivity and plasticity in transgenic mice overexpressing corticotropin-releasing hormone, 583
Dolberg OT. See Dannon PN
Donahue RMJ. See Weihs KL
Dougherty DM. See Swann AC
Dowd SM. See Janicak PG
Drasuki J. See Janicak PG
Drevets WC. See Botteron KN
Drexhage HA. See Kupka RW
Dubno JR. See Lorberbaum JP
Dubowitz DJ. See McDowell JE
Dunn RM. See Obrocea GV
Dunn RT, Kimbrell TA, Ketter TA, Frye MA, Willis MW, Luckenbaugh DA, Post RM. Principal components of the Beck Depression Inventory and regional cerebral metabolism in unipolar and bipolar depression, 387
Dunner DL. See Hirschfeld RMA

Edwards E, Neumaier JF
Edwards N. See Bartzokis G
Egan MF. See Hamid EH
Ehlers CL. See Irwin M
Eliez S. See Feinstein C
Ella R. See Zwanzger P
English J. See Pariante CM
Esiri MM. See Matthews KL
Everall I. See Cotter D
Evins AE. See Goff DC

Fann CS-J. See Sun H-FS
Faraone SV. See Hirschfeld-Becker DR
Fasiczka AL. See Jindal RD
Fasula MK. See Berman RM
Faustman WO. See Ford JM
Fei Y-J. See Rausch JL
Feinstein C, Eliez S, Blasey C, Reiss AL. Psychiatric disorders and behavioral problems in children with velocardiofacial syndrome: usefulness as phenotypic indicators of schizophrenia risk, 312
Fergus D. See Hedges DW
Fienberg AA. See Zachariou V
Finkelstein CO. See Berman RM
Ford JM, Mathalon DH, Whitfield S, Faustman WO, Roth WT. Reduced communication between frontal and temporal lobes during talking in schizophrenia, 485
Francis PT. See Matthews KL
Frank E. See Jindal RD
Frank L. See Paulus MP

Frank R. See Billich C
Franklin TR, Acton PD, Maldjian JA, Gray JD, Croft JR, Dackis CA, O'Brien CP, Childress AR. Decreased gray matter concentration in the insular, orbitofrontal, cingulate, and temporal cortices of cocaine patients, 134
Friedman ES. See Jindal RD
Friedman JI, Adler DN, Howanitz E, Harvey PD, Brenner G, Temporini H, White L, Parrella M, Davis KL. A double blind placebo controlled trial of donepezil adjunctive treatment to risperidone for the cognitive impairment of schizophrenia, 349
Friston KJ. See Lawrie SM
Frith CD. See Lawrie SM
Frodl T, Meisenzahl EM, Zetzsche T, Bottlender R, Born C, Groll C, Jäger M, Leinsinger G, Hahn K, Möller H-J. Enlargement of the amygdala in patients with a first episode of major depression, 708
Frustaci K. See De Bellis MD
Frye MA. See Dunn RT
Frye MA. See Kupka RW
Frye MA. See Leverich GS
Frye MA. See Obrocea GV
Furst BA, Champion KM, Pierre JM, Wirshing DA, Wirshing WC. Possible association of QTc interval prolongation with co-administration of quetiapine and lovastatin, 264
Fyer AJ. See Hamilton SP

Galard R, Catalan R, Castellanos JM, Gallart JM. Plasma corticotropin-releasing factor in depressed patients before and after the dexamethasone suppression test, 463
Gallart JM. See Galard R
Ganapathy V. See Rausch JL
Gelernter J. See Boutros NN
Gelernter J. See Cubells JF
Gennarelli M. See Chiavetto LB
George MS. See Kimbrell TA
George MS. See Lorberbaum JP
George MS. See Marangell LB
Geyer MA. See Dirks A
Giles DE. See Perlis ML
Gillin JC. See Irwin M
Gillin JC. See Perlis ML
Glaser B. See Carrion VG
Glynn SM. See Green MF
Gobbini MI. See Haxby JV
Goetz RR. See Malaspina D
Goff DC. See Manoach DS
Goff DC, Hennen J, Lyoo IK, Tsai G, Wald LL, Evins AE, Yurgelun-Todd DA, Renshaw PF. Modulation of brain and serum glutamatergic concentrations following a switch from conventional neuroleptics to olanzapine, 493
Goldman D. DBH and the functional taxonomy of major depressive disorder, 347–ed
Goldman-Rakic PS. See Schindler MK
Golster T. See Segman RH
Gonon F. See Zachariou V
Gooding DC. See Boutros NN
Goodwin GM. See Harmer CJ
Gorman JM. See Coplan JD
Gorman JM. See Malaspina D
Gorwood P. See Bonnier B
Gouzoulis-Mayfrank E, Becker S, Pelz S, Tuchtenhagen F, Daumann J. Neuroendocrine abnormalities in recreational ecstasy (MDMA) users: is it ecstasy or cannabis?, 766
Grady D. See Yaffe K
Gray JD. See Franklin TR
Grayson L. See Harmer CJ
Green MF, Marder SR, Glynn SM, McGurk SR, Wirshing WC, Wirshing DA, Liberman RP, Mintz J. The neurocognitive effects of low-dose haloperidol: a two-year comparison with risperidone, 972
Greenberg DA. See Segman RH
Greengard P. See Zachariou V
Griffin MG. See Nishith P
Grillon C. Associative learning deficits increase symptoms of anxiety in humans, 851
Groenink L. See Dirks A
Groenink L, Dirks A, Verdouw PM, Schipholt Ml, Veening JG, van der Gugten J, Olivier B. HPA axis dysregulation in mice overexpressing corticotropin releasing hormone, 875
Groll C. See Frodl T
Gruber SA. See Loeber RT
Grunhaus L. See Dannon PN
Gunderson JG. See Siever LJ
Gunderson JG. See Skodol AE
Gunduz H, Wu H, Ashtari M, Bogerts B, Crandall D, Robinson DG, Alvir J, Lieberman J, Kane J, Bilder R. Basal ganglia volumes in first-episode schizophrenia and healthy comparison subjects, 801

Haghighi F. See Hamilton SP
Hahn K. See Frodl T
Hall J. See De Bellis MD
Halperin T. See Ritsner M
Halpern EF. See Manoach DS
Hamid EH, Hyde TM, Egan MF, Wolf SS, Herman MM, Nemeroff CB, Kleinman JE. Neurotensin receptor binding abnormalities in the entorhinal cortex in schizophrenia and affective disorders, 795
Hamilton SP, Slager SL, Heiman GA, Deng Z, Haghighi F, Klein DF, Hodge SE, Weissman MM, Fyer AJ, Knowles JA. Evidence for a susceptibility locus for panic disorder near the catechol-*o*-methyltransferase gene on chromosome 22, 591
Hamner MB. See Lorberbaum JP
Hamon M. See Bonnier B
Hanusa BH. See Wisner KL
Hardy-Bayle M-C. See Bonnier B
Harkavy-Firedman J. See Malaspina D
Harmer CJ, Grayson L, Goodwin GM. Enhanced recognition of disgust in bipolar illness, 298
Harvey PD. See Friedman JI
Haxby JV, Hoffman EA, Gobbini MI. Human neural systems for face recognition and social communication, 59
Healy AR. See Pitman RK
Heath AC. See Botteron KN
Hedges DW, Salyer DL, Higginbotham BJ, Lund TD, Hellewell JL, Fergus D, Lephart ED. Transcranial magnetic stimulation (TMS) effects on testosterone, prolactin, and corticosterone in adult male rats, 417
Heiman GA. See Hamilton SP
Heimberg RG. Cognitive-behavioral therapy for social anxiety disorder: current status and future directions, 101
Hell D. See Park S
Hellewell JL. See Hedges DW
Heninger GR. See Berman RM
Hennen J. See Goff DC
Hennessy RJ, Kinsella A, Waddington JL. 3D laser surface scanning and geometric morphometric analysis of

craniofacial shape as an index of cerebro-craniofacial morphogenesis: initial application to sexual dimorphism, 507
Heresco-Levy U. See Segman RH
Herman AE. See Leckman JF
Herman MM. See Hamid EH
Hernandez-Avila CA, Oncken C, Van Kirk J, Wand G, Kranzler HR. Adrenocorticotropin and cortisol responses to a naloxone challenge and risk of alcoholism, 652
Herscovitch P. See Kimbrell TA
Herzog S. See Billich C
Hessl D. See Carrion VG
Hietala J. See Joyal CC
Higginbotham BJ. See Hedges DW
Hijzen TH. See Dirks A
Hill SY, Shen S. Neurodevelopmental patterns of visual P3b in association with familial risk for alcohol dependence and childhood diagnosis, 621
Hirschfeld RMA, Dunner DL, Keitner G, Klein DN, Koran LM, Kornstein SG, Markowitz JC, Miller I, Nemeroff CB, Ninan PT, Rush AJ, Schatzberg AF, Thase ME, Trivedi MH, Borian FE, Crits-Christoph P, Keller MB. Does psychosocial functioning improve independent of depressive symptoms? A comparison of nefazondone, psychotherapy, and their combination, 123
Hirschfeld-Becker DR, Biederman J, Faraone SV, Violette H, Wrightsman J, Rosenbaum JF. Temporal correlates of disruptive behavior disorders in young children: preliminary findings, 563
Hirshfeld-Becker DR. See Ollendick TH
Hobby HM. See Rausch JL
Hodge SE. See Hamilton SP
Hoffman EA. See Haxby JV
Horwitz AR. See Lorberbaum JP
Houser TL. See Weihs KL
Hoven CW. See Coplan JD
Howanitz E. See Friedman JI
Hozack NE. See Paulus MP
Hsu Y-P. See Sun H-FS
Hudnell HK. See Sassine M-P
Humble M, Bejerot S, Bergqist PBF. Reactivity of serotonin in whole blood, 266–corr (reply)
Husain MM. See Marangell LB
Hyde TM. See Hamid EH
Hyman SE. A new beginning for research on borderline personality disorder, 933–ed

Ichimiya T, Suhara T, Sudo Y, Okubo Y, Nakayama K, Nankai M, Inoue M, Yasuno F, Takano A, Maeda J, Shibuya H. Serotonin transporter binding in patients with mood disorders: a PET study with [^{11}C(+)McN5652, 715
Ingrassia P. See Zachariou V
Inoue M. See Ichimiya T
Insel TR. Social anxiety: from laboratory studies to clinical practice, 1–ed
Intriligator J. See Manoach DS
Irwin M, Gillin JC, Dang J, Weissman J, Phillips E, Ehlers CL. Sleep deprivation as a probe of homeostatic sleep regulation in primary alcoholics, 632
Iyengar S. See De Bellis MD

Jäger M. See Frodl T
Jajodia K. See Obrocea GV
Janicak PG, Dowd SM, Martis B, Alam D, Beedle D, Drasuki J, Strong MJ, Sharma R, Rosen C, Viana M. Repetitive transcranial magnetic stimulation versus electroconvulsive therapy in major depression: preliminary results of a randomized trial, 659
Jindal RD, Thase ME, Fasiczka AL, Friedman ES, Buysse DJ, Frank E, Kupfer DJ. Electroencephalographic sleep profiles in single-episode and recurrent unipolar forma of major depression: II. comparison during remission, 230
Johnson CR. See Marangell LB
Johnson ME. See Rausch JL
Johnstone ED. See Lawrie SM
Joyal CC, Laakso MP, Tiihonen J, Syvälahti E, Vilkman H, Laakso A, Alakare B, Räkköläinen V, Salokangas RKR, Hietala J. A volumetric MRI study of the entorhinal cortex in first-episode neuroleptic-naïve schizophrenia, 1005
Joyce PR. See Wood JG
Jung RE, Yeo RA, Love TM, Petropoulos H, Sibbitt WL Jr, Brooks WM. Biochemical markers of mood: a proton magnetic resonance spectroscopy study of normal human brain, 224

Kane J. See Gunduz H
Keck ME. See Zwanzger P
Keck PE Jr. See Kupka RW
Keck PE Jr. See Leverich GS
Keene J. See Matthews KL
Keitner G. See Hirschfeld RMA
Keller MB. See Hirschfeld RMA
Keller R. See Cavedini P
Kema IP. See Mulder EJ
Kemner C. See Overtoom CCE
Kendler KS. See Siever LJ
Kenemans JL. See Overtoom CCE
Kennedy MA. See Wood JG
Kerwin RW. See Pariante CM
Keshavan MS. See De Bellis MD
Ketter TA. See Dunn RT
Ketter TA. See Kimbrell TA
Ketter TA. See Obrocea GV
Khan S. See Bremner JD
Kim DH, Payne ME, Levy RM, MacFall JR, Steffens DC. APOE genotype and hippocampal volume change in geriatric depression, 426
Kimbrell TA. See Dunn RT
Kimbrell TA, Ketter TA, George MS, Little JT, Benson BE, Willis MW, Herscovitch P, Post RM. Regional cerebral glucose utilization in patients with a range of severities of unipolar depression, 237
Kinsell A. See Hennessy RJ
Kirwin P. See Cubells JF
Klein DF. See Hamilton SP
Klein DN. See Hirschfeld RMA
Kleinman JE. See Hamid EH
Knowles JA. See Hamilton SP
Koelaga HS. See Overtoom CCE
Koller R. See Umbricht D
Kollins SH, Rush CR. Sensitization to the cardiovascular but not subject-rated effects of oral cocaine in humans, 143
Koppeschaar HPF. See Snoek H
Koran LM. See Hirschfeld RMA
Kornstein SG. See Hirschfeld RMA
Kosten T. See Boutros NN
Kosten TR. See Stine SM
Kranzler HR. See Hernandez-Avila
Krystal JH. See Boutros NN
Krystal JH. See Stine SM
Kupfer DJ. See Jindal RD
Kupka R. See Leverich GS
Kupka RW, Nolen WA, Post RM, McElroy SL, Altshuler LL,

Denicoff KD, Frye MA, Keck PE Jr, Leverich GS, Rush AJ, Suppes T, Pollio C, Drexhage HA. High rate of autoimmune thyroiditis in bipolar disorder: lack of association with lithium exposure, 305
Kusumakar V. See Morehouse RL
Kutcher SP. See Morehouse RL

Laakso A. See Joyal CC
Laakso MP. See Joyal CC
Landau S. See Cotter D
Lasko NB. See Pitman RK
Lawrie SM, Buechel C, Whalley HC, Frith CD, Friston KJ, Johnstone EC. Reduced frontotemporal functional connectivity in schizophrenia associated with auditory hallucinations, 1008
LeBlanc J. See Morehouse RL
Leckman JF, Herman AE. Maternal behavior and developmental psychopathology, 27
Leibach FH. See Rausch JL
Leinsinger G. See Frodl T
Lephart ED. See Hedges DW
Lerer B. See Segman RH
Leverich GS. See Kupka RW
Leverich GS. See Obrocea GV
Leverich GS, McElroy SL, Suppes T, Keck PE Jr, Denicoff KD, Nolen WA, Altshuler LL, Rush AJ, Kupka R, Frye MA, Autio KA, Post RM. Early physical and sexual abuse associated with an adverse course of bipolar illness, 288
Levy RM. See Kim DH
Li JQ. See Rausch JL
Liberman RP. See Green MF
Lieberman J. See Gunduz H
Liebowitz MR. See Blanco C
Lightman S. See Pariante CM
Lim KO, Choi SJ, Pomara N, Wolkin A, Rotrosen JP. Reduced frontal white matter integrity in cocaine dependency: a controlled diffusion tensor imaging study, 890
Lindgren KA. See Manoach DS
Lisanby SH. See Marangell LB
Little JT. See Kimbrell TA
Livesley WJ. See Skodol AE
Livesley WK. See Siever LJ
Loeber RT, Gruber SA, Cohen BM, Renshaw PF, Sherwood AR, Yurgelun-Todd DA. Cerebellar blood volume in bipolar patients correlates with medication, 370
Loo CK. See Sachdev PS
Lorberbaum JP, Newman JD, Horwitz AR, Dubno JR, Lydiard RB, Hamner MB, Bohning DE, George MS. A potential role for thalamocingulate circuitry in human maternal behavior, 431
Louis VA. See Tizabi Y
Love TM. See Jung RE
Lu PH. See Bartzokis G
Luckenbaugh DA. See Dunn RT
Luckenbaugh DA. See Obrocea GV
Lui L-Y. See Yaffe K
Lund TD. See Hedges DW
Lydiard RB. See Lorberbaum JP
Lyoo IK. See Goff DC
Lyoo IK, Renshaw PF. Magnetic resonance spectroscopy: current and future applications in psychiatric research, 195

MacFall JR. See Kim DH
MacMillan L. See Cotter D
Madappa KN. See Rao SK
Maeda J. See Ichimiya T
Mailson RT. See Cubells JF
Malaspina D, Coleman E, Goetz RR, Harkavy-Friedman J, Corcoran C, Amador X, Yale S, Gorman JM. Odor identification, eye tracking and deficit syndrome schizophrenia, 809
Maldjian JA. See Franklin TR
Malhi GS. See Sachdev PS
Mandrell DJ. See Coplan JD
Manoach DS, Lindgren KA, Cherkasova MV, Goff DC, Halpern EF, Intriligator J, Barton JJS. Schizophrenic subjects show deficient inhibition but intact task switching on saccadic tasks, 816
Marangell LB, Rush AJ, George MS, Sackeim HA, Johnson CR, Husain MM, Nahas Z, Lisanby SH. Vagus nerve stimulation (VNS) for major depressive episodes: one year outcomes, 280
Marker SR. See Green MF
Markowitz JC. See Hirschfeld RMA
Martinez A. See McDowell JE
Martinez JM. See Coplan JD
Martis B. See Janicak PG
Mathalon DH. See Ford JM
Matthews KL, Chen CPL-H, Esiri MM, Keene J, Minger SL, Francis PT. Mismatch negativity predicts psychotic experiences induced by NMDA receptor antagonist in healthy volunteers, 400
Matthys W. See Snoek H
McBride R. See Sachdev PS
McDowell J. See Paulus MP
McDowell JE, Brown GG, Paulus M, Martinez A, Stewart SE, Dubowitz DJ, Braff DL. Neural correlates of refixation saccades and antisaccades in normal and schizophrenic subjects, 216
McElroy SL. See Kupka RW
McElroy SL. See Leverich GS
McGurk SR. See Green MF
McManus F. See Clark DM
Meisenzahl EM. See Frodl T
Mergler D. See Sassine M-P
Merikangas KR, Avenevoli S, Acharyya S, Zhang H, Angst G. The spectrum of social phobia in the Zurich Cohort Study of young adults, 81
Metz A. See Weihs KL
Meyers BS. See Cubells JF
Michelato A. See Chiavetto LB
Mideraa RB. See Mulder EJ
Mikulis DJ. See Chow EWC
Miller AL. See Wood JG
Miller I. See Hirschfeld RMA
Minger SL. See Matthews KL
Mintz J. See Bartzokis G
Mintz J. See Green MF
Mitchell PM. See Sachdev PS
Modai I. See Ritsner M
Moeller FG. See Swann AC
Moghaddam B. Stress activation of glutamate neurotransmission in the prefrontal cortex: implications for dopamine-associated psychiatric disorders, 775
Möller H-J. See Frodl T
Moreau D. See Coplan JD
Morehouse RL, Kusumakar V, Kutcher SP, LeBlanc J, Armitage R. Temporal coherence in ultradian sleep EEG rhythms in a never-depressed high-risk cohort of female adolescents, 446
Morin P. See Yaffe K
Moritz G. See De Bellis MD
Mulder EJ, Anderson GM, Kema IP, Minderaa RB. Reactivity of serotonin in whole blood, 266–corr
Mulder RT. See Wood JG

Nahas Z. See Marangell LB
Nakayama K. See Ichimiya T

Nankai M. See Ichimiya T
Navon R. See Ritsner M
Nazeer A. See Bremner JD
Nelson JC. See Cubells JF
Nemeroff CB. See Hamid EH
Nemeroff CB. See Hirschfeld RMA
Neumaier JF, Edwards E, Plotsky PM. 5-HT_{1B} mRNA regulation in two animal models of altered stress reactivity, 902
Newman JD. See Lorberbaum JP
Ninan PT. See Hirschfeld RMA
Nishith P, Griffin MG, Poth TL. Stress-induced analgesia: prediction of posttraumatic stress symptoms in battered versus nonbattered women, 867
Nolen WA. See Kupka RW
Nolen WA. See Leverich GS

O'Brien CP. See Franklin TR
Obrocea GV, Dunn RM, Frye MA, Ketter TA, Luckenbaugh DA, Leverich GS, Speer AM, Osuch EA, Jajodia K, Post RM. Clinical predictors of response to lamotrigine and gabapentin monotherapy in refractory affective disorders, 253
Okubo Y. See Ichimiya T
Olivier B. See Dirks A
Olivier B. See Groenink L
Ollendick TH, Hirshfeld-Becker DR. The developmental psychopathology of social anxiety disorder, 44
Oncken C. See Hernandez-Avila
Oren DA. See Berman RM
Oren DA, Desan PH, Boutros N, Amand A, Charney DS. Effects of light on low nocturnal bilirubin in winter depression: a preliminary report, 422
Orff HJ. See Perlis ML
Orr SP. See Pitman RK
Osuch EA. See Obrocea GV
Overtoom CCE, Kenemans JL, Verbaten MN, Kemner C, van der Molen MW, van Engeland H, Buitelaar JK, Koelaga HS. Inhibition in children with attention-deficit/hyperactivity disorder: a psychophysiological study of the stop task, 668

Padberg F. See Zwanzger P
Papadopoulos AS. See Pariante CM
Pariante CM, Papadopoulos AS, Poon L, Checkley SA, English J, Kerwin RW, Lightman S. A novel prednisolone suppression test for the hypothalmic-pituitary-adrenal axis, 922
Park S, Püschel J, Sauter BH, Rentsch M, Hell D. Spatial selective attention and inhibition in schizophrenia patients during acute psychosis and at 4-month follow-up, 498
Parow AM. See Carlezon WA Jr
Parr LA. See Winslow JT
Parrella M. See Friedman JI
Paulus M. See McDowell JE
Paulus MP, Hozack NE, Zauscher BE, Frank L, Brown GC, McDowell J, Braff DL. Parietal dysfunction is associated with increased outcome-related decision-making in schizophrenia patients, 995
Payne ME. See Kim DH
Peindl KS. See Wisner KL
Pelz S. See Gouzoulis-Mayfrank E
Perel JM. See Wisner KL
Perlis ML, Smith MT, Orff HJ, Andrews PJ, Gillin JC, Giles DE. The effects of an orally administered cholinergic agonist on REM sleep in major depression, 457
Peters H. See Billich C
Petrakis IL. See Stine SM
Petropoulos H. See Jung RE
Pfohl B. See Skodol AE
Phillips E. See Irwin M
Picciotto MR. See Zachariou V
Pickles A. See Rowe R
Pierre JM. See Furst BA
Pine DS. See Coplan JD
Pine DS, Choen JA. Trauma in children and adolescents: risk and treatment of psychiatric sequelae, 519
Pionetk CM. See Wisner KL
Pitman RK, Sanders KM, Zusman RM, Healy AR, Cheema F, Lasko NB, Cahill L, Orr SP. Pilot study of secondary prevention of posttraumatic stress disorder with propranolol, 189
Pliakas AM. See Carlezon WA Jr
Plotsky PM, Neumaier JF
Pohl RB. See Yeragani VK
Pollio C. See Kupka RW
Pomara N. See Lim KO
Poon L. See Pariante CM
Popoli M. See Chiavetto LB
Post RM. See Dunn RT
Post RM. See Kimbrell TA
Post RM. See Kupka RW
Post RM. See Leverich GS
Post RM. See Obrocea GV
Poth TL. See Nishith P
Powell J, Dawkins L, Davis RE. Smoking, reward responsiveness, and response inhibition: tests of an incentive motivational model, 151
Prater JF, D'Addio K. Johanson-Blizzard syndrome—a case study, behavioral manifestations, and successful treatment strategies, 515
Price LH. See Carpenter LL
Price LH. See Cubells JF
Püschel J. See Park S

Radha Krishna Rao KA. See Yeragani VK
Raichle ME. See Botteron KN
Rajkowska G. See Selemon LD
Rakic P, 827
Räkköläinen V. See Joyal CC
Rao SK, Andrade C, Reddy K, Madappa KN, Thyagarajan S, Chandra S. Memory protective effect of indomethacin against electroconvulsive shock induced retrograde amnesia in rats, 770
Rausch JL, Johnson ME, Fei Y-J, Li JQ, Shendarkar N, Hobby HM, Ganapathy V, Leibach FH. Initial conditions of serotonin transporter kinetics and genotype: influence on SSRI treatment trial outcome, 723
Ray RD. See Carrion VG
Reddy K. See Rao SK
Reiss AL. See Carrion VG
Reiss AL. See Feinstein C
Renshaw PF. See Carlezon WA Jr
Renshaw PF. See Goff DC
Renshaw PF. See Loeber RT
Renshaw PF. See Lyoo IK
Rentsch M. See Park S
Riboldi G. See Cavedini P
Ritsner M, Modai I, Ziv H, Halperin T, Weizman A, Navon R, Amir S. An association of CAG repeats at the KCNN3 locus with the symptom dimensions of schizophrenia, 788
Roach LM. See Berman RM
Robinson DG. See Gunduz H
Rosen C. See Janicak PG
Rosenbaum JF. See Hirschfeld-Becker DR
Roth WT. See Ford JM
Rotrosen JP. See Lim KO
Rowe R, Pickles A, Simonoff E, Bulik CM, Silberg JL. Bulimic symptoms

in the Virginia Twin Study of Adolescent Behavioral Development: correlates, comorbidity, and genetics, 172
Rupprecht R. See Zwanzger P
Rush AJ. See Hirschfeld RMA
Rush AJ. See Kupka RW
Rush AJ. See Leverich GS
Rush AJ. See Marangell LB
Rush CR. See Kollins SH
Ryan ND. See De Bellis MD

Sachdev PS, McBride R, Loo CK, Mitchell PM, Malhi GS, Croker V. Effects of different frequencies of transcranial magnetic stimulation (TMS) on the forced swim test model of depression in rats, 474
Sackeim HA. See Marangell LB
Sahlev AY. Acute stress reaction in adults, 532
Salokangas RKR. See Joyal CC
Salyer DL. See Hedges DW
Sanacora G. See Berman RM
Sanacora G. See Cubells JF
Sanders KM. See Pitman RK
Sarfati Y. See Bonnier B
Sassine M-P, Mergler D, Bowler R, Hudnell HK. Manganese accentuates adverse mental health effects associated with alcohol use disorders, 909
Sauder C. See Billich C
Sauter BH. See Park S
Schatzberg AF. See Hirschfeld RMA
Schindler MK, Wang L, Selemon LD, Goldman-Rakic PS, Rakic P, Csernansky JG. Abnormalities of thalamic volume and shape detected in fetally irradiated Rhesus monkeys with high dimensional brain mapping, 827
Schipholt MI. See Dirks A
Schipholt MI. See Groenink L
Schmid L. See Umbricht D
Schreiber S. See Dannon PN
Schwemmle M. See Billich C
Segman RH, Heresco-Levy U, Yakir A, Golster T, Strous R, Greenberg DA, Lerer B. Interactive effect of cytochrome P450 17α-hydroxylase and dopamine D3 receptor gene polymorphisms on abnormal involuntary movements in chronic schizophrenia, 261
Selemon LD. See Schindler MK
Selemon LD, Rajkowska G. Two-dimensional *versus* three-dimensional cell counting, 838–corr
Sharma R. See Janicak PG
Shen S. See Hill SY
Shendarkar N. See Rausch JL
Sherwood AR. See Loeber RT
Shibuya H. See Ichimiya T
Shifflett H. See De Bellis MD
Sibbitt WL Jr. See Jung RE
Siegle GJ, Steinhauer SR, Thase ME, Stenger VA, Carter CS. Can't shake that feeling: event-related fMRI assessment of sustained amygdala activity in response to emotional information in depressed individuals, 693
Siever LG. See Skodol AE
Siever LJ, Torgersen S, Gunderson JG, Livesley WJ, Kendler KS. The borderline diagnosis III: identifying endophenotypes for genetic studies, 964
Sigling HO. See Snoek H
Silberg JL. See Rowe R
Simonoff E. See Rowe R
Skodol AE, Gunderson JG, Pfohl B, Widiger TA, Livesley WJ, Siever LG. The borderline diagnosis I: psychopathology, comorbidity, and personality structure, 936
Skodol AE, Siever LJ, Livesley WJ, Gunderson JG, Pfohl B, Widiger TA. The borderline diagnosis II: biology, genetics, and clinical course, 951
Slager SL. See Hamilton SP
Smith MT. See Perlis ML
Smitha MR. See Yeragani VK
Snoek H, van Goozen SHM, Matthys W, Sigling HO, Koppeschaar HPF, Westenberg HGM, van Engeland H. Serotonergic functioning in children with oppositional defiant disorder: a sumatriptan challenge study, 319
Southwick SM. See Stine SM
Speer AM. See Obrocea GV
Srinivasan K. See Yeragani VK
Staeheli P. See Billich C
Staib LH. See Bremner JD
Steffens DC. See Kim DH
Steinhauer SR. See Siegle GJ
Stenger VA. See Siegle GJ
Stevenson R. See Cotter D
Stewart SE. See McDowell JE
Stine SM, Southwick SM, Petrakis IL, Kosten TR, Charney DS, Krystal JH. Yohimbine-induced withdrawal and anxiety symptoms in opiate-dependent patients, 642
Stone K. See Yaffe K
Strong MJ. See Janicak PG
Strous R. See Segman RH
Sudo Y. See Ichimiya T
Suhara T. See Ichimiya T
Sun H-FS, Chang Y-T, Fann CS-J, Chang C-J, Chen Y-H, Hsu Y-P, Yu W-Y, Cheng AT-A. Association study of novel human serotonin 5-HT_{1B} polymorphisms with alcohol dependence in Taiwanese Han, 896
Suppes T. See Kupka RW
Suppes T. See Leverich GS
Swann AC, Bjork JM, Moeller FG, Dougherty DM. Two models of impulsivity: relationship to personality traits and psychopathology, 988
Syvälahti E. See Joyal CC
Szechtman H. See Tizabi Y

Takahashi K. See Billich C
Takano A. See Ichimiya T
Taylor CT. See Tizabi Y
Temporini H. See Friedman JI
Thase ME. See Hirschfeld RMA
Thase ME. See Jindal RD
Thase ME. See Siegle GJ
Thyagarajan S. See Rao SK
Tiihonen J. See Joyal CC
Tizabi Y, Louis VA, Taylor CT, Waxman D, Culver KE, Szechtman H. Effect of nicotine on quinpirole-induced checking behavior in rats: implications for obsessive-compulsive disorder, 164
Todd RD. See Botteron KN
Torgersen S. See Siever LJ
Trivedi MH. See Hirschfeld RMA
Tsai G. See Goff DC
Tuchtenhagen F. See Gouzoulis-Mayfrank E
Tura GB. See Chiavetto LB

Umbricht D, Koller R, Vollenweider FX, Schmid L. Mismatch negativity predicts psychotic experiences induced by NMDA receptor antagonist in health volunteers, 400
Uylings HBM. About assumptions in estimation of density of neurons and glial cells, 840–corr

van der Gugten J. See Dirks A
van der Gugten J. See Groenink L
van der Molen MW. See Overtoom CCE
van Engeland H. See Overtoom CCE
van Engeland H. See Snoek H
van Goozen SHM. See Snoek H
Van Kirk J. See Hernandez-Avila
Veening JG. See Groenink L
Verbaten MN. See Overtoom CCE
Verdouw PM. See Groenink L
Vermetten E. See Bremner JD
Viana M. See Janicak PG
Vilkman H. See Joyal CC
Violette H. See Hirschfeld-Becker DR
Vollenweider FX. See Umbricht D
Vythilingam M. See Bremner JD

Wachen RM. See Berman RM
Waddington JL. See Hennessy RJ
Wald LL. See Goff DC
Wand G. See Hernandez-Avila
Wang L. See Schindler MK
Waxman D. See Tizabi Y
Weems CF. See Carrion VG
Weihs KL, Houser TL, Batey SR, Aascher JA, Bolden-Watson C, Donahue RMJ, Metz A. Continuation phase treatment with bupropion SR effectively decreases the risk for relapse of depression, 753
Weissman J. See Irwin M
Weissman MM. See Hamilton SP
Weizman A. See Ritsner M
Westenberg HGM. See Snoek H
Whalley HC. See Lawrie SM
White L. See Friedman JI
Whitfield S. See Ford JM
Widiger TA. See Skodol AE
Willis MW. See Dunn RT
Willis MW. See Kimbrell TA
Winslow JT, Parr LA, Davis M. Acoustic startle, prepulse inhibition, and fear-potentiated startle measured in Rhesus monkeys, 859
Wirshing DA. See Furst BA
Wirshing DA. See Green MF
Wirshing WC. See Furst BA
Wirshing WC. See Green MF
Wisner KL, Peindl KS, Perel JM, Hanusa BH, Piontek CM, Baab S. Verapamil treatment for women with bipolar disorder, 745
Wolf SS. See Hamid EH
Wolkin A. See Lim KO
Wood JG, Joyce PR, Miller AL, Mulder RT, Kennedy MA. A polymorphism in the dopamine β-hydroxylase gene is associated with "paranoid ideation" in patients with major depression, 365
Wrightsman J. See Hirschfeld-Becker DR

Yaffe K, Lui L-Y, Grady D, Stone K, Morin P. Estrogen receptor I polymorphisms and risk of cognitive impairment in older women, 677
Yakir A. See Segman RH
Yale S. See Malaspina D
Yasmin S. See Carpenter LL
Yasuno F. See Ichimiya T
Yeo RA. See Jung RE
Yeragani VK, Radha Krishna Rao KA, Smitha MR, Pohl RB, Balon R, Srinivasan K. Diminished chaos of heart rate time series in patients with major depression, 733
Young A. See Boutros NN
Young LJ. The neurobiology of social recognition, approach, and avoidance, 18
Yu W-Y. See Sun H-FS
Yurgelun-Todd DA. See Goff DC
Yurgelun-Todd DA. See Loeber RT

Zabetian CP. See Cubells JF
Zachariou V, Benoit-Marand M, Allen PB, Ingrassia P, Fienberg AA, Gonon F, Greengard P, Picciotto MR. Reduction of cocaine place preference in mice lacking the protein phosphatase 1 inhibitors DARPP 32 or inhibitor 1, 612
Zanardini R. See Chiavetto LB
Zauscher BE. See Paulus MP
Zetzsche T. See Frodl T
Zhang H. See Merikangas KR
Zipursky RB. See Chow EWC
Ziv H. See Ritsner M
Zusman RM. See Pitman RK
Zwanzger P, Ella R, Keck ME, Rupprecht R, Padberg F. Occurrence of delusions during repetitive transcranial magnetic stimulation (rTMS) in major depression, 602

Subject Index to Volume 51

Acoustic startle
  in mice overexpressing corticotropin-releasing hormone, 583
  and prepulse inhibition in monkeys, 859
Adolescents
  posttraumatic stress disorder risk and treatment, 519
  risk factors for major depression, 446
  superior temporal gyrus volumes in posttraumatic stress disorder, 544
Affective disorders
  lamotrigine and gabapentin response predictors, 253
  magnetic resonance spectroscopy research in, 195
Affective instability
  in borderline personality disorder, 951
Affective style
  role of prefrontal cortex and amygdala, 68
Aging
  APOE genotype and hippocampal volume change in depression, 426
  estrogen receptor 1 polymorphisms and risk of cognitive impairment, 676
Alcohol dependence
  altered hypothalamic-pituitary axis dynamics in, 652
  association with polymorphism in Taiwan, 896
  role of manganese in increased neuropsychiatric symptoms, 909
  sleep regulation in, 633
  visual P3b amplitude in children at risk for, 621
Alzheimer's disease
  estrogen receptor 1 polymorphisms and risk of cognitive impairment in older women, 676
  noradrenergic changes in, 407
Amnesia
  protective effect of indomethacin in rats, 770
Amygdala. *See also* Brain
  activity in response to emotional information in depression, 693
  enlargement in first episode of major depression, 708
  and neurobiology of social behavior in primates, 11
  role in anxiety and affective style, 68
Animal studies
  altered stress reactivity and 5-HT_{1B} mRNA regulation, 903
  antidepressant-like effects of cytidine in rats, 882
  effect of nicotine on quinpirole-induced checking behavior in rats, 164
  effects of transcranial magnetic stimulation (TMS) in rats, 474
  genetics of maternal behavior in rodents, 27
  HPA axis dysregulation in mice, 876
  memory protective effect of indomethacin in rats, 770
  neurobiology of social behavior in primates, 11
  neurobiology of social behavior in rodents, 18
  reduction of cocaine place preference in mice, 612
  startle reactivity in mice overexpressing corticotropin-releasing hormone, 583
  startle reflex and prepulse inhibition in monkeys, 859
  thalamic volume and shape in fetally irradiated monkeys, 827
  transcranial magnetic stimulation (TMS) effects in rats, 417
Anterior cingulate cortex
  density and spatial distribution of GABAergic neurons, 377
Antibodies
  Borna disease virus (BDV), 979
Antidepressants
  augmentation with mirtazapine, 183
  dose-response relationship
    influence of serotonin transporter kinetics and genotype, 723
  effects of cytidine in rats, 882
  effects of transcranial magnetic stimulation (TMS) in rats, 474
Antisaccades
  neural correlates in schizophrenia, 216
Anxiety disorders. *See also* Social anxiety disorder
  and associative learning deficits in humans, 851
  biochemical markers of mood, 224
  and cardiac mortality, 733
  following traumatic events, 519 (*See also* Posttraumatic stress disorder)
  magnetic resonance spectroscopy research in, 195
  role of prefrontal cortex and amygdala, 68
  salivary cortisol levels and carbon-dioxide inhalation in children, 326
  superior temporal gyrus volumes in pediatric generalized anxiety disorders, 553
  superior temporal gyrus volumes in pediatric posttraumatic stress disorder, 544
APOE genotype
  and hippocampal volume change in geriatric depression, 426
Associative learning deficits
  and increased symptoms of anxiety in humans, 851
Attention
  during acute psychosis in schizophrenia, 498
  self-focused
    in social anxiety disorder, 92
Attention-deficit/hyperactivity disorder
  inhibition in children with, 668
  and psychotic symptoms in cocaine dependency, 683
  temperamental correlates in young children, 563

Abbreviations:
ed: editorial
corr: correspondence

© 2002 Society of Biological Psychiatry

0006-3223/02/$22.00
PII S0006-3223(02)01448-8

Auditory hallucinations
associated with reduced frontotemporal connectivity in schizophrenia, 1008

Basal ganglia
volumes in first-episode schizophrenia, 801
Beck Depression Inventory
and regional cerebral metabolism in depression, 387
Behavior disorders
temperamental correlates in young children, 563
Benzodiazepines
for social anxiety disorder, 109
Bilirubin
effects of light in seasonal affective disorder, 422
Bipolar disorder
affective
lamotrigine, gabapentin response predictors, 253
cerebral metabolism and symptom clusters in, 387
drug effects on cerebellar blood volume, 370
early abuse and, 288
and enhanced recognition of disgust, 298
GABAergic neuron deficits, 377
5-HT_{2A} receptor gene polymorphism associated with, 762
magnetic resonance spectroscopy research in, 195
thyroid function in, 305
verapamil treatment in women, 745
Borderline personality disorder
biology, genetics, and clinical course, 951
identifying endophenotypes, 964
psychopathology, comorbidity, and personality structure, 936
research on, 933–ed
Borna virus
reactive antibodies in psychiatric patients, 979
Brain
amygdala activity in response to emotional information in depression, 693
amygdala enlargement in first episode of major depression, 708
anterior cingulate cortex density and spatial distribution of GABAergic neurons, 377
arrested maturation in chronic cocaine addicts, 605
basal ganglia volumes in first-episode schizophrenia, 801
biochemical markers of mood, 224
biology of borderline personality disorder, 951
cerebral glucose metabolism in unipolar depression, 237
communication between frontal and temporal lobes in schizophrenia, 485
cortical concentrations of noradrenaline in dementia, 407
drug effects on cerebellar blood volume in bipolar patients, 370
entorhinal cortex volume in first-episode schizophrenia, 1005
frontal lobe dysfunction in pathological gambling, 335
frontal lobes in cocaine dependence, 890
frontotemporal connectivity in schizophrenia, 1008
human neural system for face perception, 59
magnetic resonance spectroscopy research in function of, 195
neural circuitry of maternal behavior in rodents, 27
neural correlates of refixation saccades and antisaccades in schizophrenia, 216
neuron cell density estimates, 838–corr
neurotensin receptor binding abnormalities in schizophrenia, 795
orbitofrontal cortex volume in major depression, 273
parietal dysfunction in schizophrenia, 995
prefrontal cortex and amygdala in emotion, 68
prefrontal cortex and effects of stress, 755
prefrontal cortex volume in early onset depression, 342
primate amygdala and neurobiology of social behavior, 11
reward pathways in smoking, 151
structural abnormalities in schizophrenia, 208
structural deficiencies in cocaine users, 134
superior temporal gyrus volumes in pediatric generalized anxiety disorder, 553
superior temporal gyrus volumes in pediatric posttraumatic stress disorder, 544
thalamocingulate circuitry in human maternal behavior, 431
white matter integrity in cocaine users, 890
Bulimia
comorbidity and genetics in twins, 172
Buprion SR
and risk of relapse of depression, 753

CAG repeat length
at KCCN3 locus in schizophrenia, 788
Cannabis
and neuroendocrine abnormalities in recreational users of MDMA, 766
Carbon dioxide inhalation
and salivary cortisol levels in children, 326
Cardiac mortality
and major depression, 733
Catechol-*O*-methyltransferase gene
as susceptibility locus for panic disorder, 591
Cell counting
two-dimensional versus three dimensional, 838–corr
Cerebellum. *See also* Brain
drug effects on blood volume in bipolar patients, 370
Cerebral metabolism
and symptom clusters in depression, 387
in unipolar depression, 237
Children
maltreatment of
and bipolar disorder, 288
psychiatric sequelae of trauma, 519
psychopathology of velocardiofacial syndrome (VCFS), 312
salivary cortisol levels following carbon dioxide inhalation in anxiety disorders, 326
salivary cortisol levels in posttraumatic stress disorder, 575
serotonergic function in oppositional defiant disorder, 319
superior temporal gyrus volumes in posttraumatic stress disorder, 544
Choline
elevated levels in mood disorders, 224
Cholinergic agonist

effects on REM sleep in major depression, 457
Cocaine
absence of DARP-32 or I-1 genes in mice and response to, 612
sensitization to cardiovascular effects in humans, 143
Cocaine dependence
arrested brain maturation in, 605
deficiencies in limbic and prefrontal regions, 134
sensory gating and psychosis vulnerability in, 683
white matter integrity in, 890
Cognitive-behavioral therapy
for anxiety symptoms following trauma in children, 519
for social anxiety disorder, 101
Cognitive function
during acute psychosis in schizophrenia, 498
donepezil adjunctive treatment in schizophrenia, 349
effects of low-dose haloperidol compared with risperidone, 972
estrogen receptor 1 polymorphisms and risk of impairment in older women, 676
relation to noradrenergic changes in dementia, 407
therapy in schizophrenia, 969–ed
Comorbidity
in borderline personality disorder, 936
of bulimia in twins, 172
of early abuse and bipolar disorder, 288
Compulsive checking
effect of nicotine in rats, 164
Cortex. *See also* Brain
noradrenaline concentrations in dementia, 407
Corticosterone
effects of transcranial magnetic stimulation in rats, 417
Corticotropin-releasing hormone
in depressed patients, 463
overexpression as cause of hypothalamic-pituitary-adrenal (HPA) axis dysregulation in mice, 875
overexpression as cause of reduced startle reactivity and plasticity in mice, 583
Cortisol
response to naloxone and risk of alcoholism, 652
salivary
in children with anxiety disorders, 326
in depressed patients, 463
in pediatric posttraumatic stress disorder, 575
Craniofacial shape analysis
and morphometrics, 507
Cue reactivity
in nicotine abstinence, 151
Cytidine
antidepressant-like effects in rats, 882
Cytochrome P450 17α-hydroxylase
genotype distribution in schizophrenia, 261

DARP-32 gene
response to cocaine in mice and absence of, 612
DBH gene
and dopamine β-hydroxylase levels in major depression, 358
and major depression, 347–ed
and paranoid ideation in major depression, 365
Decision-making
and parietal dysfunction in schizophrenia, 995
Deficit syndrome
odor identification and eye tracking in schizophrenia, 809
Delusions
during transcranial magnetic stimulation in major depression, 602
Dementia
estrogen receptor 1 polymorphisms and risk of cognitive impairment in older women, 676
noradrenergic changes in, 407
Depression
amygdala activity in, 693
antidepressant-like effects of cytidine in rats, 882
biochemical markers of mood, 224
corticotropin-releasing factor in, 463
following traumatic events, 519 (*See also* Posttraumatic stress disorder)
geriatric
APOE genotype and hippocampal volume change, 426
major
amygdala enlargement in first episode, 708
antidepressant augmentation with mirtazapine, 183
and cardiac mortality, 733
DBH and, 347–ed
EEG sleep profiles in, 230
EEG sleep rhythms in female adolescents at risk for, 446
effects on REM sleep of cholinergic agonist, 457
GABAergic neuron deficits, 377
genotype-controlled analysis of dopamine β-hydroxylase levels, 358
orbitofrontal cortex volume in, 273
polymorphism in DBH gene and paranoid ideation, 365
prefrontal cortex volume reduction, 342
psychosocial functioning and, 123
transcranial magnetic stimulation and occurrence of delusions, 602
transcranial magnetic stimulation versus electroconvulsive therapy, 659, 687
vagus nerve stimulation for, 280
relapse in
and continuation phase treatment with bupropion SR, 753
transcranial magnetic stimulation (TMS) effects in rats, 474
unipolar
cerebral metabolism and symptom clusters in, 387
regional cerebral glucose metabolism, 237
in winter (*See* Seasonal affective disorder)
Developmental psychopathology
of social anxiety disorder, 44
Dexamethasone suppression test
and corticotropin-releasing factor in depressed patients, 463
Diffusion tensor imaging
in measurement of frontal white matter integrity in cocaine dependence, 890
Disgust
enhanced recognition in bipolar disorder, 298

Disruptive behavior disorders
temperamental correlates in young children, 563
Domestic violence
and stress-induced analgesia, 867
Donepezil
adjunctive treatment to risperidone in schizophrenia, 349
effects on REM sleep in major depression, 457
Dopamine
in animal model of obsessive-compulsive disorder, 164
receptor gene polymorphisms in schizophrenia, 261
response to stress, 775
Dose-response relationship
antidepressants
influence of serotonin transporter kinetics and genotype, 723
Drug abuse. *See also* Cocaine dependence; Substance abuse
role of stress in, 775
Drug studies
use of magnetic resonance spectroscopy in, 195
Dyslipidemia
interaction of quetiapine and lovastatin, 264

Eating disorders
comorbidity and genetics in twins, 172
Elderly persons. *See* Aging
Electroconvulsive therapy
protective effect of indomethacin on retrograde amnesia caused by, 770
versus transcranial magnetic stimulation (TMS) for major depression, 659, 687
Electroencephalogram
coherence in schizophrenia, 485
sleep profiles in major depression, 230
sleep rhythms in female adolescents at risk for major depression, 446
Emotions
and amygdala activity in depression, 693
enhanced recognition of disgust in bipolar disorder, 298
and face perception in humans, 59
role of prefrontal cortex and amygdala, 68
Entorhinal cortex
neurotensin receptor binding abnormalities in schizophrenia, 795
volume in first-episode schizophrenia, 1005
Errata
Friedman article (2002;51:349–357), 1014
Kilts article (2001;50:844–855), 346
Korrengevel article (2001;50:691–698), 194
Lieberman article (2001;50:884–897), 346
Weinberger article (2001;50:825–844), 271
Estrogen
receptor polymorphisms and risk of cognitive impairment in older women, 676
Event-related potentials
in attention-deficit/hyperactivity disorder, 668
visual P3b amplitude in children at risk for alcohol dependence, 621

Eye tracking
in deficit syndrome schizophrenia, 809

Face perception
human neural systems for, 59
Facial expression
enhanced recognition of disgust in bipolar disorder, 298
Fear conditioning
and anxiety in humans, 851
and startle reflex in monkeys, 859
Fluoxetine
dose-response relationship
influence of serotonin transporter kinetics and genotype, 723
fMRI. *See* Magnetic resonance imaging (MRI), functional
Frontal lobe. *See also* Brain
arrested maturation in cocaine dependence, 605
communication with temporal lobe in schizophrenia, 485
connectivity with temporal lobe in schizophrenia, 1008
dysfunction in pathological gambling, 335
structural deficiencies in cocaine dependence, 134
white matter integrity in cocaine users, 890

GABAergic neurons
deficits in major depression, bipolar disorder, and schizophrenia, 377
Gabapentin
response predictors in affective disorders, 253
Gambling
frontal lobe dysfunction in pathological, 335
Genetics
absence of DARP-32 or I-1 genes and response to cocaine in mice, 612
APOE genotype in geriatric depression, 426
of borderline personality disorder, 951
of bulimia, 172
CAG repeat length at KCCN3 locus in schizophrenia, 788
COMT polymorphisms and panic disorder, 591
DBH and major depression, 347–ed
estrogen receptor 1 polymorphisms and risk of cognitive impairment in older women, 676
genotype and serotonin transporter kinetics
influence on SSRI treatment trial outcome, 723
genotype-controlled analysis of dopamine β-hydroxylase levels in major depression, 358
haplotypes of interleukin-10 gene and schizophrenia, 480
5-HT_{2A} receptor gene polymorphism associated with bipolar disorder, 762
5-HT_{1B} polymorphisms and alcohol dependence in Taiwan, 896
identifying endophenotypes in borderline personality disorder, 964
of maternal behavior in rodents, 27
polymorphism in DBH gene and paranoid ideation in major depression, 365
22q11 deletion syndrome and schizophrenia, 208
and risk of alcoholism, 652
of social anxiety disorder, 44
and tardive dyskinesia in schizophrenia, 261

velocardiofacial syndrome (VCFS), 312
Glial cells
estimation of density, 838–corr
Glutamate neurotransmission
effects of olanzapine, 493
stress activation of, 775

Habituation
in mice overexpressing corticotropin-releasing hormone, 583
Hallucinations
associated with reduced frontotemporal connectivity in schizophrenia, 1008
Haloperidol
compared with risperidone in schizophrenia, 972
Heart rate variability
and major depression, 733
Hippocampus
volume change in geriatric depression, 426
5-HT_{2A} receptor gene polymorphism
associated with bipolar disorder, 762
5-$HT_{1B/1D}$ receptors
in children with oppositional defiant disorder, 319
5-HT_{1B} mRNA
and altered stress reactivity in animals, 902
Hypothalamic-pituitary-adrenal (HPA) axis
activation in children with anxiety disorders, 326
and diminished levels of dopamine β-hydroxylase in major depression, 358
dysregulation and overexpression of corticotropin-releasing hormone in mice, 875
in pediatric posttraumatic stress disorder, 575
prednisolone suppression test for, 922
and transcranial magnetic stimulation in rats, 417
Hypothyroidism
in bipolar disorder, 305

I-1 gene
and response to cocaine in mice, 612
Impulse control disorders
in borderline personality disorder, 951
and psychopathology, 988
Indomethacin
memory protective effect in rats, 770
Information processing
and amygdala activity in depression, 693
in social anxiety disorder, 92
Inhibition
during acute psychosis in schizophrenia, 498
in attention-deficit/hyperactivity disorder, 668
in schizophrenia, 817
Insular cortex
structural deficiencies in cocaine users, 134
Interleukin-10 gene
schizophrenia and haplotypes of, 480
Irradiation
and abnormalities of the thalamus in primates, 827

Johanson-Blizzard syndrome
case study, 515

KCNN3 gene
and CAG repeat in schizophrenia, 788
Ketamine
mismatch negativity and psychotic experiences induced by, 400

Lamotrigine
response predictors in affective disorders, 253
Limbic forebrain
measurements in first-episode schizophrenia, 801
Lithium exposure
and thyroid function in bipolar disorder, 305
Lovastatin
QTc interval prolongation with co-administration of quetiapine, 264

Magnetic resonance imaging (MRI)
dynamic susceptibility contrast
drug effects on cerebellar blood volume, 370
functional
amygdala activity in depression, 693
face perception, 59
frontal white matter integrity in cocaine dependence, 890
frontotemporal connectivity in schizophrenia, 1008
parietal dysfunction in schizophrenia, 995
prefrontal cortex data in schizophrenia, 216
superior temporal gyrus volumes in pediatric generalized anxiety disorder, 553
thalamocingulate circuitry in human maternal behavior, 431
structural
amygdala enlargement in depression, 708
basal ganglia volumes in first-episode schizophrenia, 801
entorhinal cortex in schizophrenia, 1005
limbic and prefrontal regions in cocaine users, 134
orbitofrontal cortex volume in major depression, 273
in patients with 22q11 deletion syndrome and schizophrenia, 208
superior temporal gyrus volumes in pediatric posttraumatic stress disorder, 544
thalamus abnormalities following fetal irradiation of primates, 827
Magnetic resonance spectroscopy (MRS)
biochemical markers of mood, 224
current and future applications in psychiatric research, 195
Magnetic stimulation, transcranial. *See* Transcranial magnetic stimulation (TMS)
Manganese
and increased neuropsychiatric symptoms with alcohol use, 909
Mania
verapamil treatment in women, 745
Maternal behavior
genetics of rodent, 27
thalamocingulate circuitry in human, 431
MDMA (Ecstasy)

and neuroendocrine abnormalities in recreational users, 766
Mental retardation
case study of Johanson-Blizzard syndrome, 515
Metabolite studies
use of magnetic resonance spectroscopy in, 195
Methadone
and yohimbine-induced withdrawal symptoms, 642
Mirtazapine
for antidepressant augmentation, 183
Mismatch negativity
and psychotic experiences induced by NMDA receptor antagonists in health volunteers, 400
Monoamine oxidase inhibitors
for social anxiety disorder, 109
Mood
biochemical markers of, 224
Mood disorders
serotonin binding in, 715
Morphometrics
and craniofacial shape analysis, 507
MRI. *See* Magnetic resonance imaging (MRI)
MRS. *See* Magnetic resonance spectroscopy (MRS)

Naloxone challenge
cortisol responses and risk of alcoholism, 652
Nefazadone
combined with psychotherapy in major depression, 123
Neurodevelopment
abnormalities of thalamus following fetal irradiation in primates, 827
Neuron cells
estimation of density, 838–corr
Neurotensin
receptor binding abnormalities in schizophrenia, 795
Neurotropic viruses
Borna disease virus (BDV)-reactive antibodies in psychiatric patients, 979
Nicotine
effect on quinpirole-induced checking behavior in rats, 164
incentive motivational model for abstinence, 151
NMDA receptor antagonist
mismatch negativity and psychotic experiences induced by, 400
Nonsteroidal antiinflammatory drugs (NSAIDs)
memory protective effect in rats, 770
Noradrenaline
cortical concentrations in dementia, 407
Noradrenergic function
in opioid dependency, 642
Norepinephrine
genotype-controlled analysis of dopamine β-hydroxylase levels, 358

Obsessive-compulsive disorder
drug response in, 266–corr
and genetics of maternal behavior in rodents, 27
implications of nicotine effects in rats, 164
in Johanson-Blizzard syndrome, 515
and pathological gambling, 335
Odor identification
in deficit syndrome schizophrenia, 809
Olanzapine
modulation of brain and serum glutamatergic concentrations, 493
Opioid dependence
yohimbine-induced withdrawal symptoms in, 642
Oppositional defiant disorder
serotonergic function in, 319
Orbitofrontal cortex
dysfunction in pathological gambling, 335
structural deficiencies in cocaine users, 134
volume reduction in major depression, 273
Oxytocin
role in social behavior in rodents, 18

Panic disorder
COMT polymorphisms and, 591
Paranoia
in cocaine dependency, 683
Parietal dysfunction
and decision-making in schizophrenia, 995
Personality disorder
borderline (*See* Borderline personality disorder)
Personality traits
in borderline personality disorder, 936
models of impulsivity and, 988
PET. *See* Positron emission tomography (PET)
Phenelzine
for social anxiety disorder, 109
Positron emission tomography (PET)
cerebral glucose metabolism in unipolar depression, 237
cerebral metabolism and symptom clusters in depression, 387
in measuring serotonin transporter binding in patients with mood disorders, 715
Postmortem studies
GABAergic neuron deficits in major depression, bipolar disorder, and schizophrenia, 377
Posttraumatic stress disorder
in adults
acute stress reaction, 532
prediction of symptoms in battered versus nonbattered women, 867
secondary prevention with propanolol, 189
in children and adolescents
diurnal salivary cortisol levels, 575
risk and treatment, 519
superior temporal gyrus volumes, 544
Prednisolone suppression test
for hypothalamic-pituitary-adrenal (HPA) axis, 922
Prefrontal cortex. *See also* Brain
cerebral glucose metabolism in unipolar depression, 237
effects of smoking on cognitive functions, 151
and effects of stress, 755
neural correlates in schizophrenia, 216
role in anxiety and affective style, 68
volume reduction in early onset depression, 342

volume reduction in major depression, 273
Pregnancy
use of verapamil during, 745
Prepulse inhibition
and acoustic startle in monkeys, 859
in mice overexpressing corticotropin-releasing hormone, 583
Prolactin
effects of transcranial magnetic stimulation in rats, 417
Propanolol
for secondary prevention of posttraumatic stress disorder, 189
Psilocybin
mismatch negativity and psychotic experiences induced by, 400
Psychopathology
in borderline personality disorder, 936
developmental
of social anxiety disorder, 44
relation of impulsivity to personality traits, 988
Psychosis
in cocaine dependency, 683
spatial selective attention and inhibition during acute episodes in schizophrenia, 498
Psychosocial functioning
in major depression, 123
Psychotherapy
combined with nefazodone in major depression, 123

22q11 deletion syndrome
and schizophrenia, 208
QTc interval prolongation
with co-administration of quetiapine and lovastatin, 264
Quetiapine
QTc interval prolongation with co-administration of lovastatin, 264

Relapse
and continuation phase treatment of depression with bupropion SR, 753
Relaxation training
for social anxiety disorder, 101
Response inhibition
in attention-deficit/hyperactivity disorder, 668
in nicotine abstinence, 151
Reward responsiveness
in nicotine abstinence, 151
Risk factors
for major depression in female adolescents, 446
22q11 deletion syndrome and schizophrenia, 208
for social anxiety disorder in young adults, 81
Risperidone
adjunctive treatment with donepezil in schizophrenia, 349
compared with low-dose haloperidol in schizophrenia, 972
Rumination
and amygdala activity in depression, 693

Saccadic tasks
inhibition and switching in schizophrenia, 817
neural correlates in schizophrenia, 216
Schizophrenia
animal models, 346 (correction)
CAG repeat length at KCCN3 locus, 788
cognitive therapy in, 969–ed
donepezil adjunctive treatment for cognitive impairment, 349
early states, 346 (correction)
effects on brain and serum glutamatergic concentrations with olanzapine, 493
first-episode
basal ganglia volumes, 801
entorhinal cortex volume in, 1005
frontotemporal communication in, 485
frontotemporal connectivity and hallucinations, 1008
GABAergic neuron deficits, 377
genetic associations and tardive dyskinesia, 261
haplotypes of interleukin-10 gene and, 480
inhibition and task switching in, 817
interaction of quetiapine and lovastatin, 264
magnetic resonance spectroscopy research in, 195
neural correlates of refixation saccades and antisaccades, 216
neurocognitive effects of low-dose haloperidol compared with risperidone, 972
neurotensin receptor binding abnormalities in the entorhinal cortex in, 795
odor identification and eye tracking with deficit syndrome in, 809
parietal dysfunction in, 995
22q11 deletion syndrome as risk factor for, 208
role of stress in, 775
spatial selective attention and inhibition during acute psychosis in, 498
and velocardiofacial syndrome (VCFS), 312
Seasonal affective disorder
effects of light on low nocturnal bilirubin, 422
extraocular light therapy for, 194–corr
Sensitization
to cardiovascular but not subject-rated effects of cocaine in humans, 143
Sensory gating
in cocaine dependency, 683
Serotonin
in oppositional defiant disorder, 319
reactivity in whole blood, 266–corr
receptors
and altered stress reactivity in animals, 902
polymorphism associated with alcohol dependence in Taiwan, 896
polymorphism associated with bipolar disorder, 762
reuptake inhibitors
genetic influences on effectiveness, 723
for social anxiety disorder, 109
in treatment of pathological gambling, 335
transporter
binding in patients with mood disorders, 715
kinetics and genotype, 723
Sexual abuse
and bipolar disorder, 288

Sexual dimorphism
and craniofacial shape analysis, 507
Sleep
EEG profiles in major depression, 230
EEG rhythms in female adolescents at risk for major depression, 446
effects of cholinergic agonist in major depression, 457
regulation in alcohol dependence, 633
Smoking. *See also* Nicotine
incentive motivational model for abstinence, 151
Social anxiety disorder
cognitive-behavioral therapy for, 101
developmental psychopathology of, 44
information processing in, 92
pharmacotherapy of, 109
primate amygdala studies of, 11
spectrum in young adults, 81
trends and translational research, 4–ed
Social behavior
neurobiology of
in monkeys, 11
in rodents, 18
Social communication
human neural systems for, 59
Startle reflex
in mice overexpressing corticotropin-releasing hormone, 583
and prepulse inhibition in monkeys, 859
Stop task
in attention-deficit/hyperactivity disorder, 668
Stress. *See also* Posttraumatic stress disorder
acute stress reactions in adults, 532
reactivity
and alterations to serotonin system, 902
role in dopamine-associated psychiatric disorders, 775
Stress-induced analgesia
in battered versus nonbattered women, 867
Substance abuse
alcohol dependency associated with polymorphism in Taiwan, 896
deficiencies in limbic and prefrontal regions in cocaine users, 134
magnetic resonance spectroscopy research in, 195
neuroendocrine abnormalities in recreational users of MDMA (Ecstasy), 766
role of manganese in increased neuropsychiatric symptoms with alcohol dependency, 909
role of stress in, 775
sensitization to cardiovascular effects of cocaine in humans, 143
sleep regulation in alcoholism, 633
white matter integrity in cocaine users, 890
yohimbine-induced withdrawal symptoms in opioid-dependent patients, 642
Suicide attempts
in bipolar disorder
influence of genetics, 762
Sumatriptan
in measurement of serotonergic function, 319

Tardive dyskinesia
genetic factors in schizophrenia, 261
Task switching
in schizophrenia, 817
Temperamental assessments
and disruptive behavior disorders in young children, 563
Temporal lobe
in cocaine dependence, 605
in pediatric generalized anxiety disorder, 553
in pediatric posttraumatic stress disorder, 544
reduced communication with frontal lobe in schizophrenia, 485
Terrorism
psychiatric sequelae in children, 519
Testosterone
effects of transcranial magnetic stimulation in rats, 417
Thalamocingulate circuitry
and human maternal behavior, 431
Thalamus
serotonin binding potential in patients with mood disorders, 715
volume abnormalities following fetal irradiation in primates, 827
Thyroid function
in bipolar disorder, 305
Transcranial magnetic stimulation (TMS)
and delusions in major depression, 602
effects of different frequencies on the forced swim test in rats, 474
effects on testosterone, prolactin, and corticosterone in rats, 417
versus electroconvulsive therapy for major depression, 659, 687
Trauma. *See also* Posttraumatic stress disorder
acute stress reactions, 532
psychiatric sequelae in children, 519
Twin studies
comorbidity and genetics of bulimia, 172

Vagus nerve stimulation
for major depression, 280
Vasopressin
role in social behavior in rodents, 18
Velocardiofacial syndrome (VCFS)
psychopathology of, 312
Ventricular arrhythmia
with co-administration of quetiapine and lovastatin, 264
Verapamil
in treatment of bipolar disorder in women, 745
Visual P3b amplitude
neurodevelopmental patterns of, 621

White matter. *See also* Brain
integrity in cocaine dependence, 890
volume increase in cocaine dependence, 605

Yohimbine
and withdrawal symptoms in opioid-dependent patients, 642